





Event 329000 out of 329011
328999



Command
Command (local):



Event = 329000

ID	Pdg	Status	Mother ID	Mother PDG	Energy	DisVtx	
0	16	0	-1	0	8.61114e+07	0	
1	1000080160	0	-1	0	14.8951	0	
3	1000070150	1	1	1000080160	13.9689	0	
4	15	1	0	16	8.54045e+07	0	
11	-211	201	92	256559	0	0	
14	-2212	201	92	1359.18	0	0	
19	-211	201	92	50.6438	0	0	
22	321	201	92	15.8476	0	0	
25	-211	201	92	0.681795	0	0	
26	2212	201	2224	1.58862	0	0	
27	211	201	2224	0.544058	0	0	
28	211	201	213	309142	0	0	
30	211	201	213	3315.65	0	0	
32	22	201	221	5028.42	0	0	
33	211	201	221	9257.3	0	0	
34	-211	201	221	4229	0	0	
35	2212	201	3122	1186.37	0.00926732	0	
36	-211	201	3122	250.586	0.00926732	0	
38	22	201	-3212	66.4398	0	0	
39	-211	201	-213	112.157	0	0	
41	2212	201	2224	218.04	0	0	
42	211	201	2224	86.2191	0	0	
43	22	201	111	1.45128	3.28207e-07	0	
44	22	201	111	37.0325	3.28207e-07	0	
47	-2112	201	-3222	27.986	0.34471	0	
48	-211	201	-3222	8.71894	0.34471	0	
49	2112	201	3222	6.37694	1.25873	0	
50	211	201	3222	0.714374	1.25873	0	
51	22	201	111	426.77	4.18542e-05	0	
52	22	201	111	91486.2	4.18542e-05	0	
53	22	201	111	9949.1	1.50082e-06	0	
54	22	201	111	12431.9	1.50082e-06	0	
55	-2112	201	-3122	1162.48	0.00570258	0	
57	22	201	111	31.3301	9.30056e-08	0	
58	22	201	111	89.0054	9.30056e-08	0	
59	130	201	-311	17.8825	0	0	
60	22	201	111	10.9321	7.44385e-08	0	
61	22	201	111	26.2758	7.44385e-08	0	
62	22	201	111	79.3952	0.0057026	0	
63	22	201	111	160.016	0.0057026	0	
64	16	1	4	15	5.58432e+06	2904.19	0
65	13	1	4	15	2.82305e+06	2904.19	0
66	-14	1	4	15	9.40366e+06	2904.19	0