

Constraining deviations from general relativity using strongly lensed gravitational wave event

H. Narola*, J. Janquart, O. A. Hannuksela, K. Haris,
S. Mastrogiiovanni, L. Haegel, C. Van Den Broeck



Deviations
from GR

Strong
Lensing

**Deviations
from GR**

**Strong
Lensing**

Deviations from GR

GW
propagation
differ from GR

Deviations from GR

GW
propagation
differ from GR

Amplitude
differ from GR

Distance differ
from GR

This is
what we
can
measure

Deviations from GR


Some Examples

- Extra dimensions theories*
- Scalar-tensor theories*
- Time varying Planck mass*


**Deffayet et al 2007 and Belgacem et al 2018 and Lagos et al 2019*

Deviations
from GR

**Strong
Lensing**





Strong Lensing



Strong Lensing

**Redshift of
GW source**

**Luminosity
Distance**






Deviations
from GR

Strong
Lensing


Distance




GW
source

Redshift

Better sky
localization




Result I:




Result II:


Extra dimensions



Scalar-tensor



Time varying Planck mass



Result II:


Thank you!

Scalar-tensor


Planck mass

Questions?


Deviations
from GR



Strong
Lensing



What kind of deviations from GR?



Some Examples

- Extra dimensions theories (D)
- Scalar-tensor theories
- $(\Xi, n)^*$
- Time varying Planck mass (c_M)*