



Contribution ID: 185

Type: **Flashtalk with Poster**

# Building sparse kernel methods via dictionary learning. Expressive, regularized and interpretable models for statistical anomaly detection

*Tuesday, 30 April 2024 13:39 (3 minutes)*

Statistical anomaly detection empowered by AI is a subject of growing interest in high-energy physics and astrophysics. AI provides a multidimensional and highly automatized solution to enable signal-agnostic data validation, and new physics searches.

The unsupervised nature of the anomaly detection task combined with the highly complex nature of the LHC and astrophysical data give rise to a set of yet unaddressed challenges for AI.

A particular challenge is the choice of an optimized and tuned AI model architecture that is highly expressive, interpretable and incorporates physics knowledge.

Under the assumption that the anomalous effects are mild perturbations of the nominal data distribution, sparse models represent an ideal family of candidates for an anomalous classifier. We build a sparse model based on kernel methods to construct a local representation of an anomaly score in weakly supervised problems. We apply dictionary learning techniques to optimize the kernels' location over input data, inducing the model's attention towards anomalies-enriched regions. The resulting models are simple, expressive, and at the same time interpretable. They offer a direct handle to model experimental resolution constraints, and quantify the full magnitude of both the statistical and systematic significance of an anomaly score.

**Primary author:** GROSSO, Gaia (IAIFI/MIT/Harvard)

**Co-authors:** BA, Demba (Harvard); HARRIS, Philip (MIT)

**Presenter:** GROSSO, Gaia (IAIFI/MIT/Harvard)

**Session Classification:** 1.3 Simulation-based inference

**Track Classification:** Session A